



Northern Highlands Regional High School District Board of Education

Sue Anne Mather
Business Administrator/Board Secretary

Teri Powers (201) 327-8700 x573
Administrative Assistant to BA

TO: Ms. Sara Magretto, President NHEA
Presidents of Northern Highlands HASA, MPAA and Sports Association
Facility Applicants, and
Contractors of Record

FROM: Sue Anne Mather, Business Administrator

DATE: December 2022

RE: Annual Notification Letter

The Asbestos Hazard Emergency Response Act (AHERA) 40 CFR 763 requires all schools from Pre-K to Grade 12 to conduct inspections to determine if they contain asbestos-containing building materials (ACBM). If they do contain these materials, the ACBM must be categorized according to the type of material, its location, current damage, and its potential for future damage. Also, a detailed Asbestos Management Plan must be developed. The Management Plan details the inspection findings, and outlines the response actions the School Board intends to implement.

To accomplish these goals, the School District now has on file at the school and in the District Office a NJ State Department of Health approved Asbestos Management Plan for the school facility. The provisions of the plan are being implemented in a timely and ongoing fashion. It is your Board's desire to provide a safe and healthy facility for all students, employees and visitors.

The purpose of this letter is to satisfy the requirements of AHERA for written notice of the availability of the Management Plan for review. Should you desire, please contact Ms. Mather for further details.

Since the last written notice, there have been several small asbestos abatement projects in Rooms 102, 103, 105, 108, 121, 122, 123 and 124. A 6-month re-inspection was performed in November 2022 as required by the AHERA regulations and the next 6-month surveillance will be done in April 2023. The next 3-year inspection will be in September 2024.